

# ● PRINTER RUSH ●

## (PTO ASSISTANCE)

Application : <u>10/656827</u>	Examiner : <u>Schechter, A</u>	GAU : <u>2871</u>	
From: <u>SPC</u>	Location: <u>(DC) FMF FDC</u>	Date: <u>8/10/05</u>	
Tracking #: <u>06123027</u>		Week Date: <u>7/10/05</u>	

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: ① Continuing data listed on the palm/bib data sheet differs from the specification (dated 09-05-2003). Please Resolve.

Thank You,  
SPC

[XRUSH] RESPONSE: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04